

AERO 450





AERO450 is one of the lightest and most compact in its category, mixing and conveying unit with a 4-cylinder Diesel engine and a built-in air compressor. It offers mixing quality and easy conveyance for floor screeds, aggregates (sand, gravel etc), mortars, pearlite and concrete with grain up to 16mm.

Rating: Not Rated Yet

[Ask a question about this product](#)

Description The **38kw 4-cylinder** diesel engine in combination with **5 m³ output**, screw type air compressor give to **AERO 450 a remarkable performance**.

The maximum output is **4,6m³/h** and with the optional hydraulic **loading bucket** can be increased up to **35%** per hour.

AERO 450 is equipped with **brakes and hand brake** and thanks to the **light and small dimensions** construction is **easy to transportation** in the road and the job site.

-

The **automatic lubrication system** and the production according to **European standards** of quality and safety provide **reliability, safety and low service cost**.

-

TECHNICAL DATA

-

AERO 450 Diesel with compressor

AERO 450 X Diesel with compressor and loading bucket

AERO 450 XS Diesel with compressor, loading bucket and scraping shovel

MODEL	AERO450	AERO450X
Diesel engine	Perkins 404C-22 4cyl. 38 kw – 51 hp	
Air compressor	Screw type 5,0 m ³ /h at 6 bar	
Max output *	4,6 m ³	6 m ³
Max delivery distance *	180 m	

Max delivery height *	50 m	
Filling height		
Max grain size	16 mm	
Vessel capacity	260 lt	
Dimensions	422x150x135 cm	
LxWxH		
Weight	1320 kg	1550 kg

* Depends on material type, quality, composition and consistency, diameter of conveying hose and conveying height.